PROPRIETARY MATERIAL SAFETY DATA SHEET **COTRONICS CORPORATION** Resbond 907 Gasket Former

Manufactures Name: COTRONICS CORPORATION

Distributed by: Moreau Marketing & Sales: Part number: MMS-3500-1

336-764-5232 Fax: 336-764-0941 www.Rmoreau.com

SECTION ONE

Chemical Family: Sicilia Acid	CAS# 134-409-8	% 50 - 75 15 - 30
Suricate	120-012-62 142-844-006	10 - 30
Ceramic Powder (A)*	131-261-9	5 - 15
Clay* Color	<2	3-10
Ceramic Powder (B)*	121-414-67	0 - 7
Ceramic Powder (C)*	130-293-8	0 - 7

^{*}Note: Materials listed above are proprietary.

All materials contained are listed on the EPA TOSCA Inventory List.

SECTION 2: HAZARDOUS INGREDIENTS

	Wt %	TVL/PEL
A. As Manufactured		N/A
B. After Normal Use		N/A
C. If machined or sanded		
Respirable Nuisance Dust	100%	5 mg/cu m
(1984-85 ACGIH TLV Booklet, Pg. 50)		

SECTION 3: PHYSICAL PROPERTY INFORMATION

· Appearance/Odor:	Black or grey creamy paste/No Odor.
Melting/Freezing Point:	N/A
% Volatile by Volume:	N/A
Boiling Point:	N/A
· Specific Gravity (Water=1) :	1 .5 - 2.5
Vapor Pressure (mm Hg) :	N/A
Evaporation Rate:	N/A

' Vapor Density (Air=1) :

' Solubility In Water:

SECTION 4: FIRE AND EXPLOSION HAZARD DATA

N/A

Insoluble.

Flash Point:	N/A
Auto Ignition Temp:	N/A
Lower Explosion Limit (%):	N/A
Upper Explosion Limit (%):	N/A
Extinguishing Media:	N/A
Special fire Fighting Procedures:	N/A

SECTION 5: EMERGENCY AND FIRST AID PROCED.

Overexposure: Slight dermatological irritation after prolonged skin contact. Eve and Skin Contact: Flush eyes with a copious amount of water. Get immediate attention for eyes. Wash skin thoroughly with soap and water. Remove and wash clothing before reuse.

Ingestion: If swallowed consult physician immediately.

SECTION 6: FIRE, EXPLOSIVE AND REACTIVITY DATA

Stable Stability: Hazardous Decomposition Products: None hazardous Polymerization: Will not occur Powdered Aluminum Metal Conditions To Avoid:

SECTION 7: SPILL OR LEAK PROCEDURES

Steps To Be Taken If Material Is Released Or Spilled: Sweep up spilled powder and dispose in approved industrial waste container. Hose spilled cement paste with water, immediately. Cement is not water soluble after cured.

Waste Disposal Methods: Approved industrial waste disposal means.

SECTION 8: SPECIAL PROTECTION INFORMATION

Ventilation Type: Local Exhaust: Vacuuming with the vacuum exhaust passing

through a high efficiency particulate arresting (HEPA) filter.

Respiratory Protection: NIOSH approved*.

Protective Gloves: Recommended. Eve Protection: Recommended.

Other Protective Equipment: Rubber Aprons or Lab Coats to protect clothing.

SECTION 9: SPECIAL PRECAUTIONS

Other Precautions: Keep container closed. Keep product from moisture prior to use. Wash hands thoroughly before eating or smoking. Avoid getting powder in body openings, including cuts, sores, mouth etc.

*(Reference 1984-85 ACGIH TLV Booklet, page 34). Appropriate ventilation should be provided and protective equipment should be worn in compliance with OSHA standard currently 29 CFR 1910.134 (NIOSH approved, air purifying, half mask or full face- piece respirator with appropriate filter pad of cartridge(s)).

Disclaimer: The information supplied is not to be taken as a warranty or representation for which Cotronics Corp. assumes legal responsibility. It is offered solely for your consideration, investigation and verification. all risk of use, singly or in combination with other products, whether or not in accordance with the instructions, directions, or suggestions is borne by the user.

This Data Sheet Contains Proprietary Information Provided by Cotronics Corp. For The Sole Purpose of Safety and Materials Handling. No copies are to be made and the original is to be returned to Cotronics when the intended use has been completed.

DATE REVISED: 01/01/98 DATE PREPARED: 11/01/85