

Н.М.І	H.M.I.S.				
н-	1				
F-	1				
R -	0				
P.P.	Α				

COP-GRAF[™]

Copper and Graphite Based ANTI-SEIZE AND LUBRICATING COMPOUND STOCK # ('S): 11002,11003,11010,11015,11016,11018,11025,11030,11050,11100,11500 MATERIAL SAFETY DATA SHEET

SECTION I - PRODUCT IDENTIFICATION								
MANUFACTURE: ANTI-SEIZE TECHNOLOGY Distributed by					Moreau Marketing & Sales			
						410 Lori Lane		
						Winston-Salem, NC 27127		
TELEPHONE #: 336-764-5232 Fax: 336-764-0941						www.Rmoreau.com		
24 Hour Emergency # :				3				
SECTION II - COMPOSITION								
	CAS #	OSHA PEL,	TLV	SARA III	PROP 65,	PERCENT		
COPPER , AS FUME OR DUST	7440-50-8	1mg/m3	SAME	YES	NO	20 to 35		
PETROLEUM GREASE/OIL	64742-62-7	5mg/m3	SAME	NO	NO	35 to 60		
GRAPHITE	7782-42-5	2.5mg/m3	SAME	NO	NO	10 to 20		
SILICA, CRYSTALLINE QUARTZ	14808-60-7	0.1 mg/m3	SAME	NO	NO	< 1		
SECTION III - PHYSICAL PROPERTIES								
BOILING POINT: DOES NOT APPLY SOLUBILITY IN WATER: NIL								
MELTING POINT: DOES NOT APP	LY			REACTIVITY		NONE		
VAPOR PRESSURE: NO DATA EVAPORATION RATE: DOES NOT				SPECIFIC GR PERCENT VC				
APPEARANCE AND ODOR: COPP		ASTE, GREASE	ODOR	I ERGENT VC				
SECTION IV - FIRE AND EXPLOSION DATA								
FLASH POINT AND METHOD USED > 350 F., C.O.C.								
FLAMMABLE LIMITS: LEL_NO DATA UEL:_NO DATA Extinguishing media: Foam, CO2, DRY Chemical								
SPECIAL FIRE FIGHTING PROCEDURES: THIS COMPOUND WILL NOT BURN UNLESS IT IS PRE-HEATED. WATER FOG MAY BE USED TO								
COOL THE CONTAINERS, HOWEVER FROTHING MAY OCCUR IF WATER IS SPRAYED DIRECTLY INTO A BURNING CONTAINER.								
UNUSUAL FIRE AND EXPLOSION HAZARDS: DENSE SMOKE MAY BE GENERATED, SPILLED CONTENTS MAY CAUSE EXTREMELY								
SLIPPERY FLOORS. NOXIOUS OR TOXIC FUMES MAY BE FORMED IN A FIRE. WEAR SELF-CONTAINED BREATHING APPARATUS.								
SECTION V- PHYSICAL HAZARDS								
STABILITY: (X) STABLE () UNSTABLE								
CONDITIONS TO AVOID: NONE REASONABLY FORESEEN								
INCOMPATABILITY: STRONG OXIDIZING DIZING AGENTS, BROMATES, CHLORATES, IODATES								
HAZARDOUS DECOMPOSITION PRODUCTS: THE THERMAL DECOMPOSITION BY-PRODUCTS ARE HIGHLY DEPENDENT UPON THE								
COMBUSTION CONDITIONS. A COMPLEX MIXTURE OF AIRBORNE SOLIDS AND FUMES WILL BE GENERATED; SOME OF WHICH MAY BE NOXIOUS OR TOXIC GASES.								
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.								
SECTION VI - HEALTH HAZARDS AND FIRST AID								
ROUTES OF ENTRY: _XSKINEYES INHALATION _X_ INGESTION								
HEALTH HAZARDS: THIS PRODUCT IS NOT PARTICULARLY TOXIC. AS WITH ANY PETROLEUM BASED PRODUCT, SKIN IRRITATION CAN OCCUR IF PROLONGED OR REPEATED SKIN CONTACT OCCURS. KEEP OUT OF OPEN WOUNDS. AVOID BREATHING LARGE QUANTITIES								
OF THE THERMAL DECOMPOSITION FUMES.								
EMERGENCY FIRST AID PROCEDURES								
SKIN: WASH WITH SOAP AND WATER, USE A NAIL BRUSH. APPLY A SKIN LOTION								

FOR A TRUE 15 MINUTES, LIFTING THE UPPER AND LOWER EYELIDS. IF IRRITATION PERSISTS CONSULT A PHYSICIAN.

INGESTION: IF INGESTED THIS PRODUCT IS NOT EXPECTED TO CAUSE AN ACUTE REACTION. THIS PRODUCT CONTAINS A PETROLEUM OIL, **DO NOT INDUCE VOMITING** BECAUSE THE OIL MAY BE ASPIRATED INTO THE LUNGS. CONSULT A PHYSICIAN OR POISON CONTROL CENTER.

INHALATION: NOT LIKELY UNDER NORMAL CONDITIONS OF USE. IF USING IN HIGH TEMPERATURE APPLICATIONS WHERE THERMAL DECOMPOSITION IS LIKELY, USE LOCAL EXHAUST TO KEEP DOWN FUMES. IF DIZZINESS OCCURS, SEEK FRESH AIR.

CHEMICAL ('S) LISTED AS CARCINOGENS NPT_NO ____ I.A.R.C._NO ___ OSHA_NO ___

SECTION VII - SPECIAL PRECAUTIONS AND SPILL PROCEDURES

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: KEEP CONTAINER CLOSED. STORE AWAY FROM HIGH HEAT, OPEN FLAMES, STRONG OXIDIZERS. KEEP AWAY FROM CHILDREN.

OTHER PRECAUTIONS:

SPILL/ LEAKAGE PROCEDURES: BECAUSE OF THE VISCOUS NATURE OF THIS PRODUCT, SPILLS ARE UNLIKELY. SCOOP IT BACK INTO THE CONTAINER. COPPER IS LISTED AS A HAZARDOUS WATER POLLUTANT

WASTE DISPOSAL: CONSULT STATE, LOCAL, AND FEDERAL GUIDELINES. CONTAINS A PETROLEUM OIL, THE PREFERRED METHOD OF DISPOSAL IN INCINERATION. DO NOT DISCHARGE INTO SEWERS OR WATERWAYS.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: NORMALLY NOT REQUIRED. IF THIS PRODUCT IS BEING USED IN HIGH TEMPERATURE APPLICATIONS WHERE THE PRODUCT "SMOKES" USE A LOCAL EXHAUST, OR VENTILATE THE AREA TO MAINTAIN THE AIR QUALITY OR USE A N.I.O.S.H. APPROVED ORGANIC VAPOR RESPIRATOR.

PROTECTIVE GLOVES: NORMALLY NOT REQUIRED. IF PROLONGED OR REPEATED SKIN CONTACT IS EXPECTED USE AN OIL RESISTANT GLOVE SUCH AS LATEX OR NEOPRENE.

EYE PROTECTION: RECOMMENDED

WORK/HYGIENIC PRACTICES : THOROUGHLY WASH WITH SOAP AND WATER, USING A NAIL BRUSH. REMOVE ALL MATERIAL.

SECTION IX - REGULATORY INFORMATION

CALIFORNIA PROPOSITION 65: NO OZONE DEPLETING SUBSTANCES: NONE SARA TITLE III : COPPER CERCLA: COPPER RCRA: NO DOT SHIPPING CLASS: NOT HAZARDOUS TASCA INVENTORY : ALL INGREDIANTS LISTED NFPA RATING: H-1,F-0,R-0

SECTION X - DISCLAIMER

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE, HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THE DATA OR THE RESULTS OBTAINED FROM THE USE OF THIS PRODUCT. THEREFORE, BECAUSE THE PRODUCT MAY BE USED UNDER CONDITIONS BEYOND OUR CONTROL, WE ASSUME NO LIABILITY FOR Its USE.

DATE PREPARED: 4/15/02

COP-GRAF