

NICKEL PLATE™

ANTI-SEIZE AND LUBRICATING COMPOUND

6oz Pressurized Can

STOCK # ('S): 35006

MATERIAL SAFETY DATA SHEET

H.M.I.S.	
H -	2
F -	1
R -	0
P.P.	A

SECTION I - PRODUCT IDENTIFICATION

MANUFACTURE: ANTI-SEIZE TECHNOLOGY Distributed by: Moreau Marketing & Sales
 410 Lori Lane
 Winston-Salem, NC 27127

TELEPHONE #: 336-764-5232 Fax: 336-764-0941 www.Rmoreau.com
24 HR. EMERGENCY #: INFORTRAC @ 1-800-535-5053

SECTION II - COMPOSITION

	CAS #	OSHA PEL,	TLV	SARA III	PROP 65,	PERCENT
NICKEL AS DUST OR FUME	7440-02-0	1mg/m3	1mg/m3	YES	YES	20 TO 30
SYNTHETIC GREASE BASE	TRADE SECRET (NJTSRN # 1210-01)			NO	NO	40 TO 60
GRAPHITE	7440-44-0	2.5mg/m3	SAME	NO	NO	5 TO 10
ALUMINUM, AS DUST OR FUME *	7429-90-5	5mg/m3	5mg/m3	YES	NO	2 TO 5
RUST INHIBITOR	15337-18-5	NOT ESTABLISHED		NO	NO	1 TO 3
NITROGEN						

* = CHEMICALS SUBJECT TO REPORTING UNDER SARA TITLE III
 SEE SECTION VI - HEALTH INFORMATION FOR FURTHER DETAILS

SECTION III - PHYSICAL PROPERTIES

BOILING POINT: NO DATA **SOLUBILITY IN WATER:** NIL
MELTING POINT: NO MELTING POINT **REACTIVITY IN WATER:** NONE
VAPOR PRESSURE: NO DATA **SPECIFIC GRAVITY:** 1.15
EVAPORATION RATE: 0 **PERCENT VOLATILE:** 0
APPEARANCE AND ODOR: NICKEL COLORED PASTE, SLIGHT ODOR.

SECTION IV - FIRE AND EXPLOSION DATA

FLASH POINT AND METHOD USED: 425 F. , C.O.C.
FLAMMABLE LIMITS: LEL: NO DATA UEL: NO DATA
EXTINGUISHING MEDIA: FOAM, CO2, DRY CHEMICAL
SPECIAL FIRE FIGHTING PROCEDURES: THIS COMPOUND WILL NOT BURN UNLESS IT IS PRE-HEATED. WATER FOG MAY BE USED TO COOL THE CONTAINERS BUT DO NOT SPRAY DIRECTLY INTO LARGE CONTAINERS OF BURNING LIQUIDS AS FROTHING MAY OCCUR. WEAR A " N.I.O.S.H. " APPROVED ORGANIC VAPOR RESPIRATOR.
UNUSUAL FIRE AND EXPLOSION HAZARDS: DENSE SMOKE AND NOXIOUS OR TOXIC FUMES MAY BE GENERATED IN A FIRE. FIRE FIGHTERS SHOULD WEAR A SELF CONTAINED BREATHING APPARATUS.

SECTION V- PHYSICAL HAZARDS

STABILITY: (X) STABLE () UNSTABLE
CONDITIONS TO AVOID: STORAGE AROUND STRONG OXIDIZERS
INCOMPATIBILITY ,(MATERIALS TO AVOID): STRONG OXIDIZING AGENTS.
HAZARDOUS DECOMPOSITION PRODUCTS: THE THERMAL DECOMPOSITION PRODUCTS ARE HIGHLY DEPENDENT UPON THE COMBUSTION CONDITIONS. NOXIOUS OR TOXIC FUMES MAY BE GENERATED, SOME OF WHICH MAY BE TOXIC OR IRRITATING.
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION VI - HEALTH HAZARDS AND FIRST AID

ROUTES OF ENTRY: SKIN EYES INHALATION INGESTION

HEALTH HAZARDS: WOUNDS: NICKEL POWDER AND NICKEL OXIDE HAVE CAUSED TUMORS AT THE SITE OF INJECTION IN RODENTS. HOWEVER, STUDIES OF NICKEL CONTAINING PROSTHESES DO NOT SUGGEST A SIGNIFICANT RISK TO HUMANS. PROLONGED AND REPEATED SKIN CONTACT WITH METALLIC NICKEL CAN CAUSE NICKEL SENSITIVITY RESULTING IN ALLERGIC SKIN RASHES.

EMERGENCY FIRST AID PROCEDURES

SKIN: WASH WITH SOAP AND WATER, USING A NAIL BRUSH . PAY PARTICULAR ATTENTION TO FINGER NAILS AND OPEN WOUNDS.

EYES: THIS PRODUCT COULD CAUSE SOME MECHANICAL IRRITATION IF GOTTEN INTO THE EYES AND RUBBED. FLUSH EYE WITH WATER FOR 15 MINUTES, LIFTING THE EYELIDS. IF IRRITATION PERSISTS CONSULT A PHYSICIAN.

INGESTION: IF INGESTED THIS PRODUCT IS NOT EXPECTED TO CAUSE AN ACUTE REACTION. THIS PRODUCT CONTAINS A PETROLEUM DERIVATIVE, **DO NOT INDUCE VOMITING**, BECAUSE IT MAY BE ASPIRATED INTO THE LUNGS. USE A GASTRIC LAVAGE, AND CALL A POISON CONTROL CENTER OR A PHYSICIAN.

INHALATION: NOT LIKELY UNDER NORMAL CONDITIONS OF USE. IF USING IN HIGH TEMPERATURE APPLICATIONS WHERE THERMAL DECOMPOSITION IS LIKELY, USE A LOCAL EXHAUST TO REMOVE FUMES. IF DIZZINESS OR IRRITATION OCCURS, SEEK FRESH AIR.

CHEMICAL ('S) LISTED AS CARCINOGENS; NICKEL

NPT ?: **I.A.R.C. ? :** **OSHA ?**

THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (I.A.R.C.) HAS CONCLUDED THAT NICKEL REFINING WAS CARCINOGENIC TO HUMANS AND THAT NICKEL AND CERTAIN NICKEL COMPOUNDS WERE PROBABLE HUMAN CARCINOGENS. I.A.R.C. COULD NOT STATE WITH ANY CERTAINTY WHICH FORMS OF NICKEL ARE PROBABLE CARCINOGENS BUT STATED " METALLIC NICKEL SEEMS LESS LIKELY TO BE A CARCINOGEN THAN NICKEL SUBSULFIDE OR NICKEL OXIDES..." EPIDEMIOLOGICAL STUDIES OF WORKERS EXPOSED TO DUST AND FUME GENERATED IN THE PRODUCTION OF NICKEL ALLOYS AND OF STAINLESS STEEL HAVE NOT INDICATED THE PRESENCE OF A SIGNIFICANT RESPIRATORY CANCER HAZARD.

SECTION VII - SPECIAL PRECAUTIONS AND SPILL PROCEDURES

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: STORE IN CLOSED CONTAINERS AWAY FROM INTENSE HEAT OR OPEN FLAMES.

OTHER PRECAUTIONS: DO NOT TRANSFER TO UNMARKED CONTAINERS. KEEP AWAY FROM CHILDREN.

SPILL/ LEAKAGE PROCEDURES: THE VISCOUS NATURE OF THIS PRODUCT MAKES SPILLS UNLIKELY. SCOOP UP THE MATERIAL AND RETURN TO ITS ORIGINAL CONTAINER, OR USE AN OIL ABSORBENT MATERIAL AND DISPOSE OF PROPERLY.

WASTE DISPOSAL: DISPOSE OF IN A RESPONSIBLE MANNER. FOLLOW LOCAL, STATE AND FEDERAL GUIDELINES. DO NOT DISCHARGE INTO SEWERS OR WATERWAYS. INCINERATION IS THE PREFERRED METHOD OF DISPOSAL, ALTHOUGH IT MAY BE LANDFILLED AT AN APPROVED FACILITY.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: NORMALLY NOT REQUIRED. IF THIS PRODUCT IS BEING USED IN HIGH TEMPERATURE APPLICATIONS WHERE THE PRODUCT "SMOKES" ,USE A LOCAL EXHAUST OR VENTILATE THE AREA TO MAINTAIN THE AIR QUALITY. A "N.I.O.S.H." APPROVED ORGANIC VAPOR RESPIRATOR IS ALSO ACCEPTABLE.

PROTECTIVE GLOVES: NORMALLY NOT REQUIRED UNLESS PROLONGED OR REPEATED SKIN CONTACT IS EXPECTED, THEN USE A LATEX OR NEOPRENE GLOVES.

EYE PROTECTION: SAFETY GLASSES ARE RECOMMENDED.

WORK/HYGIENIC PRACTICES: USE GOOD STANDARD PRACTICES WHEN USING THIS MATERIAL. DO NOT EAT OR SMOKE WHILE USING, AND THOROUGHLY WASH WITH SOAP AND WATER, USING A NAIL BRUSH AFTER USING.

SECTION IX - REGULATORY INFORMATION

CALIFORNIA PROPOSITION 65: NICKEL
OZONE DEPLETING SUBSTANCES: NONE
SARA TITLE III : NICKEL
CERCLA: NICKEL

RCRA: NO
DOT SHIPPING CLASS: NOT HAZARDOUS
TASCA INVENTORY : ALL INGREDIENTS LISTED
N.F.P.A. RATING: H-2,F-1,R-0

THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCERS.

SECTION X - DISCLAIMER

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE, HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THE DATA OR THE RESULTS OBTAINED FROM THE USE OF THIS PRODUCT. THEREFORE, BECAUSE THE PRODUCT MAY BE USED UNDER CONDITIONS BEYOND OUR CONTROL, WE ASSUME NO LIABILITY FOR IT'S USE.

DATE PREPARED: 4/15/02

NICKEL PLATE